



Eye-Drop & Pressure Schedule

Several drops a day, each to the right eye, on the clock

PETSLIKEMINE
VISION & EYE HEALTH

PET NAME _____	CONDITION _____	VET PRACTICE _____	START DATE _____
-------------------	--------------------	-----------------------	---------------------

Glaucoma and post-surgery eyes can need several different drops a day, each to a particular eye, in order, on time. Missed or rushed drops let the pressure or the inflammation creep back. A clear chart keeps it straight. Pairs with the Eye-Drop & Pressure Tracker.

GETTING DROPS IN RIGHT

Leave about five minutes between different drops, so the second does not wash the first straight out. Watery drops before thick or greasy ones. Do not touch the bottle tip to the eye. Give the right eye each time (L or R), and reward afterwards so it stays easy.

DROP	EYE (L/R/BOTH)	MORNING	MIDDAY	EVENING	NIGHT
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

EYE-PRESSURE LOG (IF YOU MEASURE IT AT HOME)

DATE / TIME	PRESSURE L (MMHG)	PRESSURE R (MMHG)	NOTES
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

A sudden jump in pressure, a red or painful eye, or a missed run of drops is worth a call. Never stop glaucoma drops without your vet; the pressure can rise fast.

Written and reviewed by Dr Alastair Greenway MRCVS and Claire Greenway BVM&S MRCVS. This sheet explains and records. It does not diagnose or prescribe. Always follow your own vet's instructions.

How to use. Fill in the drops and eyes with your vet, tick each as you give it, and space different drops by five minutes. Bring any pressure readings to your rechecks.

NEVER STOP GLAUCOMA DROPS WITHOUT YOUR VET